



**Luoyang JCB Bearing Technology Company Limited**

**011.20.1220.000.11.1504**

**SLEWING BEARING**

**DOUBLE ROW BALL SLEWING BEARING**





# Luoyang JCB Bearing Technology Company Limited

## CONTENTS

01.

[MAIN SPECIFICATION](#)

02.

[TECHNICAL INFORMATION](#)

03.

[MANUFACTURE & INSPECTION](#)

04.

[PACKING AND STORAGE](#)

05.

[WARRANTY & CERTIFICATE](#)



**Luoyang JCB Bearing Technology Company Limited**

**011.20.1220.000.11.1504**

**01**

## MAIN SPECIFICATION



[REFERENCE DRAWING](#)



[SPECIFICATION](#)



[RAW MATERIAL](#)



[LUBRICATIONA](#)



[BOLT HOLES TYPE & BOLTS](#)



[CORROSION PROTECTION](#)




**Luoyang JCB Bearing Technology Company Limited**

**011.20.1220.000.11.1504**

## REFERENCE DRAWING

This drawing is reference for user, if user request for formal drawing , please contact with us: [sales@jcb-bearing.com](mailto:sales@jcb-bearing.com), the official drawing will be submitted to them.





01-1

|                                                            |                                         |
|------------------------------------------------------------|-----------------------------------------|
| Double Row Different Diameter Ball<br>Slewing Ring Bearing | 011.20.1220.000.11.1504                 |
|                                                            | —                                       |
|                                                            | Luoyang JCB Bearing Technology Co., Ltd |

# SPECIFICATION

011.20.1220.000.11.1504



Inner diameter (Di) :1140

Outer diameter (Da) :1342.4

Overall height (H) :82

Outer ring height (H1):58

Inner ring height (H2):78

Weight: 178 KG

External bolt circle dia (La) : 1270

Number of bolt holes per hole circle (na) :48

External bolt hole type : Selected by user

External bolt hole diameter(B) :M16

Internal bolt circle dia(Li): 1170

Number of bolt holes per hole circle(ni): 48

Internal bolt hole type : Selected by user

Internal bolt hole diameter (B) :17.5

Tooth number(z) :165

Module of gear(m) :8

Tooth width (b): 58