



Luoyang JCB Bearing Technology Company Limited

022.25.630

SLEWING BEARING

DOUBLE ROW BALL SLEWING BEARING





Luoyang JCB Bearing Technology Company Limited

CONTENTS

01.

[MAIN SPECIFICATION](#)

02.

[TECHNICAL INFORMATION](#)

03.

[MANUFACTURE & INSPECTION](#)

04.

[PACKING AND STORAGE](#)

05.

[WARRANTY & CERTIFICATE](#)



Luoyang JCB Bearing Technology Company Limited

022.25.630

01

MAIN SPECIFICATION



[REFERENCE DRAWING](#)



[LUBRICATIONA](#)



[SPECIFICATION](#)



[BOLT HOLES TYPE & BOLTS](#)



[RAW MATERIAL](#)



[CORROSION PROTECTION](#)




Luoyang JCB Bearing Technology Company Limited

022.25.630

REFERENCE DRAWING

This drawing is reference for user, if user request for formal drawing , please contact with us: sales@jcb-bearing.com, the official drawing will be submitted to them.



01-1

Double Row Different Diameter Ball Slewing Ring Bearing	022.25.630
	—
	Luoyang JCB Bearing Technology Co., Ltd.



01-2

Luoyang JCB Bearing Technology Company Limited

SPECIFICATION



022.25.630



Inner diameter (D_i) : 514
Outer diameter (D_a) : 790.4
Overall height (H) : 106
Outer ring height (H_1) : 96
Inner ring height (H_2) : 80
Weight: 130 KG
External bolt circle dia (L_a) : 710
Number of bolt holes per hole circle (n_a) : 24
External bolt hole type : Selected by user
External bolt hole diameter (B) : 18
Internal bolt circle dia (L_i) : 550
Number of bolt holes per hole circle (n_i) : 24
Internal bolt hole type : Selected by user
Internal bolt hole diameter (B) : 18
Tooth number (z) : 96
Module of gear (m) : 8
Tooth width (b) : 60