



Luoyang JCB Bearing Technology Company Limited

022.60.4000

SLEWING BEARING

DOUBLE ROW BALL SLEWING BEARING





Luoyang JCB Bearing Technology Company Limited

CONTENTS

01.

[MAIN SPECIFICATION](#)

02.

[TECHNICAL INFORMATION](#)

03.

[MANUFACTURE & INSPECTION](#)

04.

[PACKING AND STORAGE](#)

05.

[WARRANTY & CERTIFICATE](#)



Luoyang JCB Bearing Technology Company Limited

022.60.4000

01

MAIN SPECIFICATION



[REFERENCE DRAWING](#)



[LUBRICATIONA](#)



[SPECIFICATION](#)



[BOLT HOLES TYPE & BOLTS](#)



[RAW MATERIAL](#)



[CORROSION PROTECTION](#)




Luoyang JCB Bearing Technology Company Limited

022.60.4000

REFERENCE DRAWING

This drawing is reference for user, if user request for formal drawing , please contact with us: sales@jcb-bearing.com, the official drawing will be submitted to them.



01-1

Double Row Different Diameter Ball Slewing Ring Bearing	022.60.4000
	—
	Luoyang JCB Bearing Technology Co., Ltd.



01-2

Luoyang JCB Bearing Technology Company Limited

SPECIFICATION



022.60.4000



Inner diameter (D_i) :3722
 Outer diameter (D_a) :4395
 Overall height (H) :226
 Outer ring height (H_1):214
 Inner ring height (H_2):170
 Weight: 4200 KG
 External bolt circle dia (L_a) : 4188
 Number of bolt holes per hole circle (n_a) :60
 External bolt hole type : Selected by user
 External bolt hole diameter(B) :45
 Internal bolt circle dia(L_i): 3812
 Number of bolt holes per hole circle(n_i):60
 Internal bolt hole type : Selected by user
 Internal bolt hole diameter (B) :45
 Tooth number(z) :173
 Module of gear(m) :25
 Tooth width (b) : 150