



Luoyang JCB Bearing Technology Company Limited

023.25.630

SLEWING BEARING

DOUBLE ROW BALL SLEWING BEARING





Luoyang JCB Bearing Technology Company Limited

CONTENTS

01.

[MAIN SPECIFICATION](#)

02.

[TECHNICAL INFORMATION](#)

03.

[MANUFACTURE & INSPECTION](#)

04.

[PACKING AND STORAGE](#)

05.

[WARRANTY & CERTIFICATE](#)



Luoyang JCB Bearing Technology Company Limited

023.25.630

01

MAIN SPECIFICATION



[REFERENCE DRAWING](#)



[LUBRICATIONA](#)



[SPECIFICATION](#)



[BOLT HOLES TYPE & BOLTS](#)



[RAW MATERIAL](#)



[CORROSION PROTECTION](#)




Luoyang JCB Bearing Technology Company Limited

023.25.630

REFERENCE DRAWING

This drawing is reference for user, if user request for formal drawing , please contact with us: sales@jcb-bearing.com, the official drawing will be submitted to them.





01-2

Luoyang JCB Bearing Technology Company Limited

SPECIFICATION



023.25.630



Inner diameter (Di) :482.4

Outer diameter (Da) :746

Overall height (H) :106

Outer ring height (H2):96

Inner ring height (H1):80

Weight: 130 KG

External bolt circle dia (La) : 710

Number of bolt holes per hole circle (na) :24

External bolt hole type : Selected by user

External bolt hole diameter(B) :18

Internal bolt circle dia(Li): 550

Number of bolt holes per hole circle(ni): 24

Internal bolt hole type : Selected by user

Internal bolt hole diameter (B) :18

Tooth number(z) :81

Module of gear(m) :6

Tooth width (b) : 60