



**Luoyang JCB Bearing Technology Company Limited**

**061.25.1455.500.11.1503**

**SLEWING BEARING**

**FOUR-POINT CONTACT BALL SLEWING BEARING**





# Luoyang JCB Bearing Technology Company Limited

## CONTENTS

01.

[MAIN SPECIFICATION](#)

02.

[TECHNICAL INFORMATION](#)

03.

[MANUFACTURE & INSPECTION](#)

04.

[PACKING AND STORAGE](#)

05.

[WARRANTY & CERTIFICATE](#)



**Luoyang JCB Bearing Technology Company Limited**

**061.25.1455.500.11.1503**

01

## MAIN SPECIFICATION



[REFERENCE DRAWING](#)



[SPECIFICATION](#)



[RAW MATERIAL](#)



[LUBRICATIONA](#)



[BOLT HOLES TYPE & BOLTS](#)



[CORROSION PROTECTION](#)




**Luoyang JCB Bearing Technology Company Limited**

**061.25.1455.500.11.1503**



## REFERENCE DRAWING

This drawing is reference for user, if user request for formal drawing , please contact with us: [sales@jcb-bearing.com](mailto:sales@jcb-bearing.com), the official drawing will be submitted to them.



## SPECIFICATION

061.25.1455.500.11.1503



Inner diameter (d) :1355

Outer diameter (D) :1598

Overall height (T) :80

Outer ring height (H1):71

Inner ring height (H2):54

Weight: 236 KG

External bolt circle dia (J1) : 1516

Number of bolt holes per hole circle (n1) :48

External bolt hole type : Selected by user

External bolt hole diameter(N1) :M20

Internal bolt circle dia(J2): 1395

Number of bolt holes per hole circle(n2):48

Internal bolt hole type : Selected by user

Internal bolt hole diameter (N2) :22

Tooth number :158

Module of gear :10

Tooth width (B) : 71