



**Luoyang JCB Bearing Technology Company Limited**

**11-16 0235\_1-01933**

# **SLEWING BEARING**

**FOUR-POINT CONTACT BALL SLEWING BEARING**





# Luoyang JCB Bearing Technology Company Limited

## CONTENTS

01.

[MAIN SPECIFICATION](#)

02.

[TECHNICAL INFORMATION](#)

03.

[MANUFACTURE & INSPECTION](#)

04.

[PACKING AND STORAGE](#)

05.

[WARRANTY & CERTIFICATE](#)



**Luoyang JCB Bearing Technology Company Limited**

**11-16 0235\_1-01933**

**01**

## **MAIN SPECIFICATION**



[REFERENCE DRAWING](#)



[LUBRICATIONA](#)



[SPECIFICATION](#)



[BOLT HOLES TYPE & BOLTS](#)



[RAW MATERIAL](#)



[CORROSION PROTECTION](#)




**Luoyang JCB Bearing Technology Company Limited**

**11-16 0235\_1-01933**

## REFERENCE DRAWING

This drawing is reference for user, if user request for formal drawing , please contact with us: [sales@jcb-bearing.com](mailto:sales@jcb-bearing.com), the official drawing will be submitted to them.



01-1



01-2

# Luoyang JCB Bearing Technology Company Limited

## SPECIFICATION



11-16 0235\_1-01933



Inner diameter (d) :171  
 Outer diameter (D) :318.6  
 Overall height (T) :40  
 Outer ring height (H1):35  
 Inner ring height (H2):35  
 Weight: 13 KG  
 External bolt circle dia (J1) : 275  
 Number of bolt holes per hole circle (n1) :12  
 External bolt hole type : Selected by user  
 External bolt hole diameter(N1) :13  
 Internal bolt circle dia(J2): 195  
 Number of bolt holes per hole circle(n2): 12  
 Internal bolt hole type : Selected by user  
 Internal bolt hole diameter (N2) :13  
 Tooth number :78  
 Module of gear :4  
 Tooth width (B) : 35