



**Luoyang JCB Bearing Technology Company Limited**

**16269001**

# **SLEWING BEARING**

**DOUBLE ROW BALL SLEWING BEARING**





# Luoyang JCB Bearing Technology Company Limited

## CONTENTS

01.

[MAIN SPECIFICATION](#)

02.

[TECHNICAL INFORMATION](#)

03.

[MANUFACTURE & INSPECTION](#)

04.

[PACKING AND STORAGE](#)

05.

[WARRANTY & CERTIFICATE](#)



**Luoyang JCB Bearing Technology Company Limited**

**16269001**

**01**

## MAIN SPECIFICATION



[REFERENCE DRAWING](#)



[LUBRICATIONA](#)



[SPECIFICATION](#)



[BOLT HOLES TYPE & BOLTS](#)



[RAW MATERIAL](#)



[CORROSION PROTECTION](#)




# Luoyang JCB Bearing Technology Company Limited

## 16269001



### REFERENCE DRAWING

This drawing is reference for user, if user request for formal drawing , please contact with us: [sales@jcb-bearing.com](mailto:sales@jcb-bearing.com), the official drawing will be submitted to them.



## SPECIFICATION

16269001



Inner diameter (d): 72.250 in  
 Outer diameter (D): 94.742 in  
 Overall height (T): 9.125 in  
 Outer ring height (H1): 8.375 in  
 Inner ring height (H2): 8.750 in  
 Weight: 5560 lbs  
 External bolt circle dia (J1): 89.750 in  
 Number of bolt holes per hole circle (n1):60  
 External bolt hole type : Selected by user  
 External bolt hole diameter (N1): 1.625 in  
 Internal bolt circle dia (J2): 75.250 in  
 Number of bolt holes per hole circle (n2): 68  
 Internal bolt hole type : Selected by user  
 Internal bolt hole diameter (N2): 1.625 in  
 Tooth number (z):188  
 Module of gear (DP):2  
 Tooth width (B): 5.500 in