



Luoyang JCB Bearing Technology Company Limited

230.20.1000.503 Typ 21_1200.0

SLEWING BEARING

FLANGED FOUR-POINT CONTACT BALL SLEWING BEARING





Luoyang JCB Bearing Technology Company Limited

CONTENTS

01.

[MAIN SPECIFICATION](#)

02.

[TECHNICAL INFORMATION](#)

03.

[MANUFACTURE & INSPECTION](#)

04.

[PACKING AND STORAGE](#)

05.

[WARRANTY & CERTIFICATE](#)



Luoyang JCB Bearing Technology Company Limited

230.20.1000.503 Typ 21_1200.0

01

MAIN SPECIFICATION



[REFERENCE DRAWING](#)



[SPECIFICATION](#)



[RAW MATERIAL](#)



[LUBRICATION](#)



[BOLT HOLES TYPE & BOLTS](#)



[CORROSION PROTECTION](#)




Luoyang JCB Bearing Technology Company Limited

230.20.1000.503 Typ 21_1200.0

REFERENCE DRAWING

This drawing is reference for user, if user request for formal drawing , please contact with us: sales@jcb-bearing.com, the official drawing will be submitted to them.





01-2

Luoyang JCB Bearing Technology Company Limited



SPECIFICATION

230.20.1000.503 Typ 21_1200.0



Inner diameter (D_i) :984

Outer diameter (D_a) :1198

Overall height (H) :56

Distance at bottom outer ring(H_0):10.5

Height(H_3):12

Distance at bottom inner ring(H_u):10.5

Height(H_4):12

Weight: 61.1 KG

External bolt circle dia (L_a) : 1170

Number of bolt holes per hole circle (n_a) :32

External bolt hole type : Selected by user

External bolt hole diameter(B) :18

Internal bolt circle dia(L_i): 1012

Number of bolt holes per hole circle(n_i): 40

Internal bolt hole type : Selected by user

Internal bolt hole diameter (B) :18