



Luoyang JCB Bearing Technology Company Limited

231.20.0800.503 Typ 21_950.1

SLEWING BEARING

FLANGED FOUR-POINT CONTACT BALL SLEWING BEARING





Luoyang JCB Bearing Technology Company Limited

CONTENTS

01.

[MAIN SPECIFICATION](#)

02.

[TECHNICAL INFORMATION](#)

03.

[MANUFACTURE & INSPECTION](#)

04.

[PACKING AND STORAGE](#)

05.

[WARRANTY & CERTIFICATE](#)



Luoyang JCB Bearing Technology Company Limited

231.20.0800.503 Typ 21_950.1

01

MAIN SPECIFICATION



[REFERENCE DRAWING](#)



[SPECIFICATION](#)



[RAW MATERIAL](#)



[LUBRICATIONA](#)



[BOLT HOLES TYPE & BOLTS](#)



[CORROSION PROTECTION](#)




Luoyang JCB Bearing Technology Company Limited

231.20.0800.503 Typ 21_950.1

REFERENCE DRAWING

This drawing is reference for user, if user request for formal drawing , please contact with us: sales@jcb-bearing.com, the official drawing will be submitted to them.





01-2

Luoyang JCB Bearing Technology Company Limited

SPECIFICATION



231.20.0800.503 Typ 21_950.1



Inner diameter (D_i) : 734
Outer diameter (D_a) : 950.4
Overall height (H) : 56
Outer ring height (b): 45.5
Distance at bottom inner ring (H_u): 10.5
Height (H_4): 12
Weight: 64.7 KG
External bolt circle dia (L_a) : 885
Number of bolt holes per hole circle (n_a) : 18
External bolt hole type : Selected by user
External bolt hole diameter (M) : M12
Internal bolt circle dia (L_i): 762
Number of bolt holes per hole circle (n_i): 36
Internal bolt hole type : Selected by user
Internal bolt hole diameter (B) : 18
Tooth number (z) : 117
Module of gear (m) : 8
Tooth width (b) : 45.5