



Luoyang JCB Bearing Technology Company Limited

281.30.1100.013 Typ 110_1300.1

SLEWING BEARING

FLANGED FOUR-POINT CONTACT BALL SLEWING BEARING





Luoyang JCB Bearing Technology Company Limited

CONTENTS

01.

[MAIN SPECIFICATION](#)

02.

[TECHNICAL INFORMATION](#)

03.

[MANUFACTURE & INSPECTION](#)

04.

[PACKING AND STORAGE](#)

05.

[WARRANTY & CERTIFICATE](#)



Luoyang JCB Bearing Technology Company Limited



281.30.1100.013 Typ 110_1300.1

MAIN SPECIFICATION

● [REFERENCE DRAWING](#)

● [SPECIFICATION](#)

● [RAW MATERIAL](#)

● [LUBRICATION](#)

● [BOLT HOLES TYPE & BOLTS](#)

● [CORROSION PROTECTION](#)




Luoyang JCB Bearing Technology Company Limited

281.30.1100.013 Typ 110_1300.1

REFERENCE DRAWING

This drawing is reference for user, if user request for formal drawing , please contact with us: sales@jcb-bearing.com, the official drawing will be submitted to them.





01-2

Luoyang JCB Bearing Technology Company Limited



SPECIFICATION

281.30.1100.013 Typ 110_1300.1



Inner diameter (D_i) : 1005
 Outer diameter (D_a) : 1298
 Overall height (H) : 90
 Outer ring height (b): 71
 Distance at bottom inner ring(H_u): 19
 Height(H_4): 21
 Weight: 200 KG
 External bolt circle dia (L_a) : 1216
 Number of bolt holes per hole circle (n_a) : 36
 External bolt hole type : Selected by user
 External bolt hole diameter(M) : M20
 Internal bolt circle dia(L_i): 1045
 Number of bolt holes per hole circle(n_i): 36
 Internal bolt hole type : Selected by user
 Internal bolt hole diameter (B) : 22
 Tooth number(z) : 128
 Module of gear(m) : 10
 Tooth width (b) : 71