



Luoyang JCB Bearing Technology Company Limited

282.30.1100.013 Typ 110_1300.2

SLEWING BEARING

FLANGED FOUR-POINT CONTACT BALL SLEWING BEARING





Luoyang JCB Bearing Technology Company Limited

CONTENTS

01.

[MAIN SPECIFICATION](#)

02.

[TECHNICAL INFORMATION](#)

03.

[MANUFACTURE & INSPECTION](#)

04.

[PACKING AND STORAGE](#)

05.

[WARRANTY & CERTIFICATE](#)



Luoyang JCB Bearing Technology Company Limited

282.30.1100.013 Typ 110_1300.2

01

MAIN SPECIFICATION



[REFERENCE DRAWING](#)



[SPECIFICATION](#)



[RAW MATERIAL](#)



[LUBRICATIONA](#)



[BOLT HOLES TYPE & BOLTS](#)



[CORROSION PROTECTION](#)




Luoyang JCB Bearing Technology Company Limited

282.30.1100.013 Typ 110_1300.2

REFERENCE DRAWING

This drawing is reference for user, if user request for formal drawing , please contact with us: sales@jcb-bearing.com, the official drawing will be submitted to them.





01-2

Luoyang JCB Bearing Technology Company Limited



SPECIFICATION

282.30.1100.013 Typ 110_1300.2



Inner diameter (D_i) : 1012
 Outer diameter (D_a) : 1300
 Overall height (H) : 90
 Outer ring height (b) : 71
 Distance at bottom outer ring (H_u) : 19
 Height (H_3) : 21
 Weight: 192 KG
 External bolt circle dia (L_a) : 1260
 Number of bolt holes per hole circle (n_a) : 36
 External bolt hole type : Selected by user
 External bolt hole diameter (B) : 22
 Internal bolt circle dia (L_i) : 1094
 Number of bolt holes per hole circle (n_i) : 36
 Internal bolt hole type : Selected by user
 Internal bolt hole diameter (M) : M20
 Tooth number (z) : 103
 Module of gear (m) : 10
 Tooth width (b) : 71