



**Luoyang JCB Bearing Technology Company Limited**

**31-25 2800\_2-06840**

**SLEWING BEARING**

**THREE ROW ROLLER SLEWING BEARING**





# Luoyang JCB Bearing Technology Company Limited

## CONTENTS

01.

MAIN SPECIFICATION

02.

TECHNICAL INFORMATION

03.

MANUFACTURE & INSPECTION

04.

PACKING AND STORAGE

05.

WARRANTY & CERTIFICATE



**Luoyang JCB Bearing Technology Company Limited**

**31-25 2800\_2-06840**

01

## MAIN SPECIFICATION

- [REFERENCE DRAWING](#)
- [SPECIFICATION](#)
- [RAW MATERIAL](#)
- [LUBRICATIONA](#)
- [BOLT HOLES TYPE & BOLTS](#)
- [CORROSION PROTECTION](#)




Luoyang JCB Bearing Technology Company Limited

31-25 2800\_2-06840



## REFERENCE DRAWING

This drawing is reference for user, if user request for formal drawing , please contact with us: [sales@jcb-bearing.com](mailto:sales@jcb-bearing.com), the official drawing will be submitted to them.



## SPECIFICATION

31-25 2800\_2-06840

Inner diameter ( $D_i$ ) :2619Outer diameter ( $D_a$ ) :3096Overall height ( $H$ ) :147Outer ring height ( $b$ ):-Distance at bottom inner ring( $H_u$ ):-Height( $H_4$ ):-

Weight: 1785 KG

External bolt circle dia ( $L_a$ ) :2925Number of bolt holes per hole circle ( $n_a$ ) :60

External bolt hole type : Selected by user

External bolt hole diameter( $M$ ) :33Internal bolt circle dia( $L_i$ ):2685Number of bolt holes per hole circle( $n_i$ ): 60

Internal bolt hole type : Selected by user

Internal bolt hole diameter ( $B$ ) :33Tooth number( $z$ ) :152Module of gear( $m$ ) :20Tooth width ( $b$ ) : 117