



**Luoyang JCB Bearing Technology Company Limited**

**31-32 2800\_2-07320**

# **SLEWING BEARING**

**THREE ROW ROLLER SLEWING BEARING**





# Luoyang JCB Bearing Technology Company Limited

## CONTENTS

01.

[MAIN SPECIFICATION](#)

02.

[TECHNICAL INFORMATION](#)

03.

[MANUFACTURE & INSPECTION](#)

04.

[PACKING AND STORAGE](#)

05.

[WARRANTY & CERTIFICATE](#)



**Luoyang JCB Bearing Technology Company Limited**

**31-32 2800\_2-07320**

**01**

## **MAIN SPECIFICATION**

- [REFERENCE DRAWING](#)
- [SPECIFICATION](#)
- [RAW MATERIAL](#)
- [LUBRICATIONA](#)
- [BOLT HOLES TYPE & BOLTS](#)
- [CORROSION PROTECTION](#)




Luoyang JCB Bearing Technology Company Limited

31-32 2800\_2-07320

### REFERENCE DRAWING

This drawing is reference for user, if user request for formal drawing , please contact with us: [sales@jcb-bearing.com](mailto:sales@jcb-bearing.com), the official drawing will be submitted to them.



01-1


01-2

Luoyang JCB Bearing Technology Company Limited



## SPECIFICATION

31-32 2800\_2-07320



Inner diameter (Di) :2582

Outer diameter (Da) :3136

Overall height (H) :181

Outer ring height (H1):139

Inner ring height (H2):172

Weight: 2576 KG

External bolt circle dia (La) : 2955

Number of bolt holes per hole circle (na) :48

External bolt hole type : Selected by user

External bolt hole diameter(B) :39

Internal bolt circle dia(Li): 2660

Number of bolt holes per hole circle(ni): 46

Internal bolt hole type : Selected by user

Internal bolt hole diameter (B) :39

Tooth number(z) :154

Module of gear(m) :20

Tooth width (b) : 139