



Luoyang JCB Bearing Technology Company Limited

32-25 2000_2-06860

SLEWING BEARING

THREE ROW ROLLER SLEWING BEARING





Luoyang JCB Bearing Technology Company Limited

CONTENTS

01.

[MAIN SPECIFICATION](#)

02.

[TECHNICAL INFORMATION](#)

03.

[MANUFACTURE & INSPECTION](#)

04.

[PACKING AND STORAGE](#)

05.

[WARRANTY & CERTIFICATE](#)



Luoyang JCB Bearing Technology Company Limited

32-25 2000_2-06860

01

MAIN SPECIFICATION

- REFERENCE DRAWING
- SPECIFICATION
- RAW MATERIAL
- LUBRICATIONA
- BOLT HOLES TYPE & BOLTS
- CORROSION PROTECTION




Luoyang JCB Bearing Technology Company Limited

32-25 2000_2-06860

REFERENCE DRAWING

This drawing is reference for user, if user request for formal drawing , please contact with us: sales@jcb-bearing.com, the official drawing will be submitted to them.




01-2

Luoyang JCB Bearing Technology Company Limited



SPECIFICATION

32-25 2000_2-06860



Inner diameter (D_i) :1728
Outer diameter (D_a) :2181
Overall height (H) :147
Outer ring height (H_2):138
Inner ring height (H_1):117
Weight: 1202 KG
External bolt circle dia (L_a) : 2115
Number of bolt holes per hole circle (n_a) :44
External bolt hole type : Selected by user
External bolt hole diameter(B) :33
Internal bolt circle dia(L_i): 1875
Number of bolt holes per hole circle(n_i): 44
Internal bolt hole type : Selected by user
Internal bolt hole diameter (B) :33
Tooth number(z) :109
Module of gear(m) :16
Tooth width (b) : 116