



Luoyang JCB Bearing Technology Company Limited

32-25 2240_2-06870

SLEWING BEARING

THREE ROW ROLLER SLEWING BEARING





Luoyang JCB Bearing Technology Company Limited

CONTENTS

01.

[MAIN SPECIFICATION](#)

02.

[TECHNICAL INFORMATION](#)

03.

[MANUFACTURE & INSPECTION](#)

04.

[PACKING AND STORAGE](#)

05.

[WARRANTY & CERTIFICATE](#)



Luoyang JCB Bearing Technology Company Limited

32-25 2240_2-06870

01

MAIN SPECIFICATION

- [REFERENCE DRAWING](#)
- [SPECIFICATION](#)
- [RAW MATERIAL](#)
- [LUBRICATIONA](#)
- [BOLT HOLES TYPE & BOLTS](#)
- [CORROSION PROTECTION](#)




Luoyang JCB Bearing Technology Company Limited

32-25 2240_2-06870

REFERENCE DRAWING

This drawing is reference for user, if user request for formal drawing , please contact with us: sales@jcb-bearing.com, the official drawing will be submitted to them.




01-2

Luoyang JCB Bearing Technology Company Limited



SPECIFICATION

32-25 2240_2-06870



- Inner diameter (Di) :1944
- Outer diameter (Da) :2421
- Overall height (H) :147
- Outer ring height (H2):138
- Inner ring height (H1):117
- Weight: 1406 KG
- External bolt circle dia (La) : 2355
- Number of bolt holes per hole circle (na) :48
- External bolt hole type : Selected by user
- External bolt hole diameter(B) :33
- Internal bolt circle dia(Li): 2115
- Number of bolt holes per hole circle(ni): 48
- Internal bolt hole type : Selected by user
- Internal bolt hole diameter (B) :33
- Tooth number(z) :109
- Module of gear(m) :18
- Tooth width (b) : 116