



**Luoyang JCB Bearing Technology Company Limited**

**32-32 2800\_2-07380**

**SLEWING BEARING**

**THREE ROW ROLLER SLEWING BEARING**





# Luoyang JCB Bearing Technology Company Limited

## CONTENTS

01.

[MAIN SPECIFICATION](#)

02.

[TECHNICAL INFORMATION](#)

03.

[MANUFACTURE & INSPECTION](#)

04.

[PACKING AND STORAGE](#)

05.

[WARRANTY & CERTIFICATE](#)



**Luoyang JCB Bearing Technology Company Limited**

**32-32 2800\_2-07380**

01

## MAIN SPECIFICATION

- [REFERENCE DRAWING](#)
- [SPECIFICATION](#)
- [RAW MATERIAL](#)
- [LUBRICATIONA](#)
- [BOLT HOLES TYPE & BOLTS](#)
- [CORROSION PROTECTION](#)




Luoyang JCB Bearing Technology Company Limited

32-32 2800\_2-07380

### REFERENCE DRAWING

This drawing is reference for user, if user request for formal drawing , please contact with us: [sales@jcb-bearing.com](mailto:sales@jcb-bearing.com), the official drawing will be submitted to them.




01-2

Luoyang JCB Bearing Technology Company Limited



## SPECIFICATION

32-32 2800\_2-07380



Inner diameter ( $D_i$ ) :2460  
Outer diameter ( $D_a$ ) :3018  
Overall height ( $H$ ) :181  
Outer ring height ( $H_2$ ):172  
Inner ring height ( $H_1$ ):139  
Weight: 2542 KG  
External bolt circle dia ( $L_a$ ) : 2940  
Number of bolt holes per hole circle ( $n_a$ ) :48  
External bolt hole type : Selected by user  
External bolt hole diameter( $B$ ) :39  
Internal bolt circle dia( $L_i$ ): 2645  
Number of bolt holes per hole circle( $n_i$ ): 48  
Internal bolt hole type : Selected by user  
Internal bolt hole diameter ( $B$ ) :39  
Tooth number( $z$ ) :124  
Module of gear( $m$ ) :20  
Tooth width ( $b$ ) : 139