



Luoyang JCB Bearing Technology Company Limited

32-40 4500_2-07510

SLEWING BEARING

THREE ROW ROLLER SLEWING BEARING





Luoyang JCB Bearing Technology Company Limited

CONTENTS

01.

[MAIN SPECIFICATION](#)

02.

[TECHNICAL INFORMATION](#)

03.

[MANUFACTURE & INSPECTION](#)

04.

[PACKING AND STORAGE](#)

05.

[WARRANTY & CERTIFICATE](#)



Luoyang JCB Bearing Technology Company Limited

32-40 4500_2-07510

01

MAIN SPECIFICATION

- [REFERENCE DRAWING](#)
- [SPECIFICATION](#)
- [RAW MATERIAL](#)
- [LUBRICATIONA](#)
- [BOLT HOLES TYPE & BOLTS](#)
- [CORROSION PROTECTION](#)




Luoyang JCB Bearing Technology Company Limited

32-40 4500_2-07510

REFERENCE DRAWING

This drawing is reference for user, if user request for formal drawing , please contact with us: sales@jcb-bearing.com, the official drawing will be submitted to them.



01-1


01-2

Luoyang JCB Bearing Technology Company Limited



SPECIFICATION

32-40 4500_2-07510



Inner diameter (D_i) :4128
Outer diameter (D_a) :4738
Overall height (H) :220
Outer ring height (H_2):210
Inner ring height (H_1):170
Weight: 5367 KG
External bolt circle dia (L_a) : 4660
Number of bolt holes per hole circle (n_a) :84
External bolt hole type : Selected by user
External bolt hole diameter(B) :39
Internal bolt circle dia(L_i): 4335
Number of bolt holes per hole circle(n_i):84
Internal bolt hole type : Selected by user
Internal bolt hole diameter (B) :39
Tooth number(z) :173
Module of gear(m) :24
Tooth width (b) : 170