



**Luoyang JCB Bearing Technology Company Limited**

**32-50 4000\_2-07580**

# **SLEWING BEARING**

**THREE ROW ROLLER SLEWING BEARING**





# Luoyang JCB Bearing Technology Company Limited

## CONTENTS

01.

[MAIN SPECIFICATION](#)

02.

[TECHNICAL INFORMATION](#)

03.

[MANUFACTURE & INSPECTION](#)

04.

[PACKING AND STORAGE](#)

05.

[WARRANTY & CERTIFICATE](#)



**Luoyang JCB Bearing Technology Company Limited**

**32-50 4000\_2-07580**

**01**

## **MAIN SPECIFICATION**

- [REFERENCE DRAWING](#)
- [SPECIFICATION](#)
- [RAW MATERIAL](#)
- [LUBRICATIONA](#)
- [BOLT HOLES TYPE & BOLTS](#)
- [CORROSION PROTECTION](#)




Luoyang JCB Bearing Technology Company Limited

32-50 4000\_2-07580

### REFERENCE DRAWING

This drawing is reference for user, if user request for formal drawing , please contact with us: [sales@jcb-bearing.com](mailto:sales@jcb-bearing.com), the official drawing will be submitted to them.



01-1


01-2

Luoyang JCB Bearing Technology Company Limited



## SPECIFICATION

32-50 4000\_2-07580



- Inner diameter ( $D_i$ ) :3576
- Outer diameter ( $D_a$ ) :4265
- Overall height ( $H$ ) :268
- Outer ring height ( $H_2$ ):258
- Inner ring height ( $H_1$ ):203
- Weight: 6623 KG
- External bolt circle dia ( $L_a$ ) : 4175
- Number of bolt holes per hole circle ( $n_a$ ) :60
- External bolt hole type : Selected by user
- External bolt hole diameter( $B$ ) :45
- Internal bolt circle dia( $L_i$ ): 3800
- Number of bolt holes per hole circle( $n_i$ ): 60
- Internal bolt hole type : Selected by user
- Internal bolt hole diameter ( $B$ ) :45
- Tooth number( $z$ ) :150
- Module of gear( $m$ ) :24
- Tooth width ( $b$ ) : 203