



**Luoyang JCB Bearing Technology Company Limited**

**9E-1B22-0311-0917**

# **SLEWING BEARING**

**FOUR-POINT CONTACT BALL SLEWING BEARING**





# Luoyang JCB Bearing Technology Company Limited

## CONTENTS

01.

[MAIN SPECIFICATION](#)

02.

[TECHNICAL INFORMATION](#)

03.

[MANUFACTURE & INSPECTION](#)

04.

[PACKING AND STORAGE](#)

05.

[WARRANTY & CERTIFICATE](#)



**Luoyang JCB Bearing Technology Company Limited**

**9E-1B22-0311-0917**

**01**

## **MAIN SPECIFICATION**



[REFERENCE DRAWING](#)



[LUBRICATIONA](#)



[SPECIFICATION](#)



[BOLT HOLES TYPE & BOLTS](#)



[RAW MATERIAL](#)



[CORROSION PROTECTION](#)




**Luoyang JCB Bearing Technology Company Limited**

**9E-1B22-0311-0917**

## REFERENCE DRAWING

This drawing is reference for user, if user request for formal drawing , please contact with us: [sales@jcb-bearing.com](mailto:sales@jcb-bearing.com), the official drawing will be submitted to them.




01-2

# Luoyang JCB Bearing Technology Company Limited

## SPECIFICATION



9E-1B22-0311-0917



Inner diameter (d) :235  
 Outer diameter (D) :403.5  
 Overall height (T) :55  
 Outer ring height (H1):  
 Inner ring height (H2):  
 Weight: 24.5 KG  
 External bolt circle dia (J1) :  
 Number of bolt holes per hole circle (n1) :  
 External bolt hole type : Selected by user  
 External bolt hole diameter(N1) :  
 Internal bolt circle dia(J2):  
 Number of bolt holes per hole circle(n2):  
 Internal bolt hole type : Selected by user  
 Internal bolt hole diameter (N2) :  
 Tooth number :  
 Module of gear :  
 Tooth width (B) :