



Luoyang JCB Bearing Technology Company Limited

9E-1B22-0422-0732-A03

SLEWING BEARING

FOUR-POINT CONTACT BALL SLEWING BEARING





Luoyang JCB Bearing Technology Company Limited

CONTENTS

01.

[MAIN SPECIFICATION](#)

02.

[TECHNICAL INFORMATION](#)

03.

[MANUFACTURE & INSPECTION](#)

04.

[PACKING AND STORAGE](#)

05.

[WARRANTY & CERTIFICATE](#)



Luoyang JCB Bearing Technology Company Limited

9E-1B22-0422-0732-A03

01

MAIN SPECIFICATION



[REFERENCE DRAWING](#)



[LUBRICATIONA](#)



[SPECIFICATION](#)



[BOLT HOLES TYPE & BOLTS](#)



[RAW MATERIAL](#)



[CORROSION PROTECTION](#)




Luoyang JCB Bearing Technology Company Limited

9E-1B22-0422-0732-A03

REFERENCE DRAWING

This drawing is reference for user, if user request for formal drawing , please contact with us: sales@jcb-bearing.com, the official drawing will be submitted to them.





01-2

Luoyang JCB Bearing Technology Company Limited

SPECIFICATION



9E-1B22-0422-0732-A03



Inner diameter (d) :324
 Outer diameter (D) :527.8
 Overall height (T) :60
 Outer ring height (H1):
 Inner ring height (H2):
 Weight: 45 KG
 External bolt circle dia (J1) :
 Number of bolt holes per hole circle (n1) :
 External bolt hole type : Selected by user
 External bolt hole diameter(N1) :
 Internal bolt circle dia(J2):
 Number of bolt holes per hole circle(n2):
 Internal bolt hole type : Selected by user
 Internal bolt hole diameter (N2) :
 Tooth number :
 Module of gear :
 Tooth width (B) :