



Luoyang JCB Bearing Technology Company Limited

9E-1B30-0533-0947

SLEWING BEARING

FOUR-POINT CONTACT BALL SLEWING BEARING





Luoyang JCB Bearing Technology Company Limited

CONTENTS

01.

[MAIN SPECIFICATION](#)

02.

[TECHNICAL INFORMATION](#)

03.

[MANUFACTURE & INSPECTION](#)

04.

[PACKING AND STORAGE](#)

05.

[WARRANTY & CERTIFICATE](#)



Luoyang JCB Bearing Technology Company Limited

9E-1B30-0533-0947

01

MAIN SPECIFICATION



[REFERENCE DRAWING](#)



[LUBRICATION](#)



[SPECIFICATION](#)



[BOLT HOLES TYPE & BOLTS](#)



[RAW MATERIAL](#)



[CORROSION PROTECTION](#)




Luoyang JCB Bearing Technology Company Limited

9E-1B30-0533-0947

REFERENCE DRAWING

This drawing is reference for user, if user request for formal drawing , please contact with us: sales@jcb-bearing.com, the official drawing will be submitted to them.





01-2

Luoyang JCB Bearing Technology Company Limited

SPECIFICATION



9E-1B30-0533-0947



Inner diameter (d) : 431.8
 Outer diameter (D) : 657.9
 Overall height (T) : 87.4
 Outer ring height (H1):77.7
 Inner ring height (H2):65
 Weight: 92 KG
 External bolt circle dia (J1) : 600.1
 Number of bolt holes per hole circle (n1) :24
 External bolt hole type : D
 External bolt hole diameter(N1) : 3/4-10 UNC
 Internal bolt circle dia(J2): 466.7
 Number of bolt holes per hole circle(n2): 24
 Internal bolt hole type : A
 Internal bolt hole diameter (N2) :21
 Tooth number :102
 Module of gear :DP4
 Tooth width (B) : 77.7