



Luoyang JCB Bearing Technology Company Limited

9E-1B30-0612-1356-SR10

SLEWING BEARING

FOUR-POINT CONTACT BALL SLEWING BEARING





Luoyang JCB Bearing Technology Company Limited

CONTENTS

01.

[MAIN SPECIFICATION](#)

02.

[TECHNICAL INFORMATION](#)

03.

[MANUFACTURE & INSPECTION](#)

04.

[PACKING AND STORAGE](#)

05.

[WARRANTY & CERTIFICATE](#)



Luoyang JCB Bearing Technology Company Limited

9E-1B30-0612-1356-SR10

01

MAIN SPECIFICATION



[REFERENCE DRAWING](#)



[LUBRICATIONA](#)



[SPECIFICATION](#)



[BOLT HOLES TYPE & BOLTS](#)



[RAW MATERIAL](#)



[CORROSION PROTECTION](#)




Luoyang JCB Bearing Technology Company Limited

9E-1B30-0612-1356-SR10

REFERENCE DRAWING

This drawing is reference for user, if user request for formal drawing , please contact with us: sales@jcb-bearing.com, the official drawing will be submitted to them.





01-2

Luoyang JCB Bearing Technology Company Limited

SPECIFICATION



9E-1B30-0612-1356-SR10



Inner diameter (d) :504

Outer diameter (D) :740

Overall height (T) :80

Outer ring height (H1):

Inner ring height (H2):

Weight: 107 KG

External bolt circle dia (J1) :

Number of bolt holes per hole circle (n1) :

External bolt hole type : Selected by user

External bolt hole diameter(N1) :

Internal bolt circle dia(J2):

Number of bolt holes per hole circle(n2):

Internal bolt hole type : Selected by user

Internal bolt hole diameter (N2) :

Tooth number :

Module of gear :

Tooth width (B) :