



**Luoyang JCB Bearing Technology Company Limited**

**9E-2B22-0425-0888-H10**

**SLEWING BEARING**

**DOUBLE ROW BALL SLEWING BEARING**





# Luoyang JCB Bearing Technology Company Limited

## CONTENTS

01.

[MAIN SPECIFICATION](#)

02.

[TECHNICAL INFORMATION](#)

03.

[MANUFACTURE & INSPECTION](#)

04.

[PACKING AND STORAGE](#)

05.

[WARRANTY & CERTIFICATE](#)



**Luoyang JCB Bearing Technology Company Limited**

**9E-2B22-0425-0888-H10**

01

## MAIN SPECIFICATION

- [REFERENCE DRAWING](#)
- [SPECIFICATION](#)
- [RAW MATERIAL](#)
- [LUBRICATIONA](#)
- [BOLT HOLES TYPE & BOLTS](#)
- [CORROSION PROTECTION](#)




Luoyang JCB Bearing Technology Company Limited

9E-2B22-0425-0888-H10

## REFERENCE DRAWING

This drawing is reference for user, if user request for formal drawing , please contact with us: [sales@jcb-bearing.com](mailto:sales@jcb-bearing.com), the official drawing will be submitted to them.



01-1

01-2

Luoyang JCB Bearing Technology Company Limited



## SPECIFICATION

9E-2B22-0425-0888-H10



Inner diameter (d) :330

Outer diameter (D) :531.8

Overall height (T) :88

Outer ring height (H1):

Inner ring height (H2):

Weight: 75 KG

External bolt circle dia (J1) :

Number of bolt holes per hole circle (n1) :

External bolt hole type : Selected by user

External bolt hole diameter(N1) :

Internal bolt circle dia(J2):

Number of bolt holes per hole circle(n2):

Internal bolt hole type : Selected by user

Internal bolt hole diameter (N2) :

Tooth number :

Module of gear :

Tooth width (B) :