



**Luoyang JCB Bearing Technology Company Limited**

**91-1B30-1205-0251**

# **SLEWING BEARING**

**FOUR-POINT CONTACT BALL SLEWING BEARING**





# Luoyang JCB Bearing Technology Company Limited

## CONTENTS

01.

[MAIN SPECIFICATION](#)

02.

[TECHNICAL INFORMATION](#)

03.

[MANUFACTURE & INSPECTION](#)

04.

[PACKING AND STORAGE](#)

05.

[WARRANTY & CERTIFICATE](#)



**Luoyang JCB Bearing Technology Company Limited**

**9I-1B30-1205-0251**

**01**

## MAIN SPECIFICATION



[REFERENCE DRAWING](#)



[LUBRICATIONA](#)



[SPECIFICATION](#)



[BOLT HOLES TYPE & BOLTS](#)



[RAW MATERIAL](#)



[CORROSION PROTECTION](#)




**Luoyang JCB Bearing Technology Company Limited**

**9I-1B30-1205-0251**

## REFERENCE DRAWING

This drawing is reference for user, if user request for formal drawing , please contact with us: [sales@jcb-bearing.com](mailto:sales@jcb-bearing.com), the official drawing will be submitted to them.

01-1





01-2

# Luoyang JCB Bearing Technology Company Limited

## SPECIFICATION



9I-1B30-1205-0251



Inner diameter (d) :1075.1  
 Outer diameter (D) :1300  
 Overall height (T) :110  
 Outer ring height (H1):80  
 Inner ring height (H2):90  
 Weight: 240KG  
 External bolt circle dia (J1) : 1270  
 Number of bolt holes per hole circle (n1) :(36-1)  
 External bolt hole type : A  
 External bolt hole diameter(N1) :21  
 Internal bolt circle dia(J2): 1170  
 Number of bolt holes per hole circle(n2): 36  
 Internal bolt hole type : D  
 Internal bolt hole diameter (N2) :M20  
 Tooth number :90  
 Module of gear :12  
 Tooth width (B) : 80