



Luoyang JCB Bearing Technology Company Limited

91-2B20-0896-1129

SLEWING BEARING

DOUBLE ROW BALL SLEWING BEARING





Luoyang JCB Bearing Technology Company Limited

CONTENTS

01.

[MAIN SPECIFICATION](#)

02.

[TECHNICAL INFORMATION](#)

03.

[MANUFACTURE & INSPECTION](#)

04.

[PACKING AND STORAGE](#)

05.

[WARRANTY & CERTIFICATE](#)



Luoyang JCB Bearing Technology Company Limited

9I-2B20-0896-1129

01

MAIN SPECIFICATION



[REFERENCE DRAWING](#)



[LUBRICATION](#)



[SPECIFICATION](#)



[BOLT HOLES TYPE & BOLTS](#)



[RAW MATERIAL](#)



[CORROSION PROTECTION](#)




Luoyang JCB Bearing Technology Company Limited

9I-2B20-0896-1129

REFERENCE DRAWING

This drawing is reference for user, if user request for formal drawing , please contact with us: sales@jcb-bearing.com, the official drawing will be submitted to them.

01-1



Double Row Different Diameter Ball Slewing Ring Bearing	9I-2B20-0896-1129
	—
	Luoyang JCB Bearing Technology Co., Ltd



01-2

Luoyang JCB Bearing Technology Company Limited



SPECIFICATION

9I-2B20-0896-1129



Inner diameter (d) :786.7

Outer diameter (D) :973.1

Overall height (T) :82

Outer ring height (H1):78

Inner ring height (H2):71

Weight: 125.5 KG

External bolt circle dia (J1) : 944

Number of bolt holes per hole circle (n1) :30

External bolt hole type : Selected by user

External bolt hole diameter(N1) :5/8-11 UNC

Internal bolt circle dia(J2): 850

Number of bolt holes per hole circle(n2): 30

Internal bolt hole type : Selected by user

Internal bolt hole diameter (N2) :5/8-11 UNC

Tooth number :110

Module of gear :DP3.5

Tooth width (B) : 50