



Luoyang JCB Bearing Technology Company Limited

91-3R28-2910-1098

SLEWING BEARING

THREE ROW ROLLER SLEWING BEARING





Luoyang JCB Bearing Technology Company Limited

CONTENTS

01.

[MAIN SPECIFICATION](#)

02.

[TECHNICAL INFORMATION](#)

03.

[MANUFACTURE & INSPECTION](#)

04.

[PACKING AND STORAGE](#)

05.

[WARRANTY & CERTIFICATE](#)



Luoyang JCB Bearing Technology Company Limited

9I-3R28-2910-1098

01

MAIN SPECIFICATION

- [REFERENCE DRAWING](#)
- [SPECIFICATION](#)
- [RAW MATERIAL](#)
- [LUBRICATIONA](#)
- [BOLT HOLES TYPE & BOLTS](#)
- [CORROSION PROTECTION](#)




Luoyang JCB Bearing Technology Company Limited

9I-3R28-2910-1098

REFERENCE DRAWING

This drawing is reference for user, if user request for formal drawing , please contact with us: sales@jcb-bearing.com, the official drawing will be submitted to them.




01-2

Luoyang JCB Bearing Technology Company Limited



SPECIFICATION

9I-3R28-2910-1098



Inner diameter (D_i) :2568
Outer diameter (D_a) :3168
Overall height (H) :190
Outer ring height (H_2):
Inner ring height (H_1):
Weight: 2842 KG
External bolt circle dia (L_a) :
Number of bolt holes per hole circle (n_a) :
External bolt hole type : Selected by user
External bolt hole diameter(B) :
Internal bolt circle dia(L_i):
Number of bolt holes per hole circle(n_i):
Internal bolt hole type : Selected by user
Internal bolt hole diameter (B) :
Tooth number(z) :
Module of gear(m) :
Tooth width (b) :