



Luoyang JCB Bearing Technology Company Limited

A12-22E2

SLEWING BEARING

FOUR-POINT CONTACT BALL SLEWING BEARING





Luoyang JCB Bearing Technology Company Limited

CONTENTS

01.

[MAIN SPECIFICATION](#)

02.

[TECHNICAL INFORMATION](#)

03.

[MANUFACTURE & INSPECTION](#)

04.

[PACKING AND STORAGE](#)

05.

[WARRANTY & CERTIFICATE](#)



Luoyang JCB Bearing Technology Company Limited

A12-22E2

01

MAIN SPECIFICATION



[REFERENCE DRAWING](#)



[SPECIFICATION](#)



[RAW MATERIAL](#)



[LUBRICATION](#)



[BOLT HOLES TYPE & BOLTS](#)



[CORROSION PROTECTION](#)




Luoyang JCB Bearing Technology Company Limited

A12-22E2

REFERENCE DRAWING

This drawing is reference for user, if user request for formal drawing , please contact with us: sales@jcb-bearing.com, the official drawing will be submitted to them.





01-2

Luoyang JCB Bearing Technology Company Limited

SPECIFICATION



A12-22E2



Inner diameter (d): 17.000 in
 Outer diameter (D): 28.400 in
 Overall height (T): 4.00 in
 Outer ring height (H1): 3.310 in
 Inner ring height (H2): 3.310 in
 Weight: 319 lbs
 External bolt circle dia (J1): 25.378 in
 Number of bolt holes per hole circle (n1):24
 External bolt hole type : Selected by user
 External bolt hole diameter (N1): 7/8-9 in
 Internal bolt circle dia (J2): 18.618 in
 Number of bolt holes per hole circle (n2):30-2
 Internal bolt hole type : Selected by user
 Internal bolt hole diameter (N2): 0.94 in
 Tooth number (z):112
 Module of gear (DP):4
 Tooth width (B): 3.31 in