



Luoyang JCB Bearing Technology Company Limited

E.1079.2.20.12.D.3.V

SLEWING BEARING

DOUBLE ROW BALL SLEWING BEARING





Luoyang JCB Bearing Technology Company Limited

CONTENTS

01.

[MAIN SPECIFICATION](#)

02.

[TECHNICAL INFORMATION](#)

03.

[MANUFACTURE & INSPECTION](#)

04.

[PACKING AND STORAGE](#)

05.

[WARRANTY & CERTIFICATE](#)



Luoyang JCB Bearing Technology Company Limited

E.1079.2.20.12.D.3.V

01

MAIN SPECIFICATION



[REFERENCE DRAWING](#)



[LUBRICATION](#)



[SPECIFICATION](#)



[BOLT HOLES TYPE & BOLTS](#)



[RAW MATERIAL](#)



[CORROSION PROTECTION](#)




Luoyang JCB Bearing Technology Company Limited

E.1079.2.20.12.D.3.V

REFERENCE DRAWING

This drawing is reference for user, if user request for formal drawing , please contact with us: sales@jcb-bearing.com, the official drawing will be submitted to them.

01-1





01-2

Luoyang JCB Bearing Technology Company Limited

SPECIFICATION



E.1079.2.20.12.D.3.V



Inner diameter (d) :893
 Outer diameter (D) :1079
 Overall height (T) :90
 Outer ring height (H1):80
 Inner ring height (H2):80
 Weight: 140 KG
 External bolt circle dia (J1) : 1015
 Number of bolt holes per hole circle (n1) :30
 External bolt hole type : Selected by user
 External bolt hole diameter(N1) :M16
 Internal bolt circle dia(J2): 922
 Number of bolt holes per hole circle(n2): 30
 Internal bolt hole type : Selected by user
 Internal bolt hole diameter (N2) :18
 Tooth number :131
 Module of gear :8
 Tooth width (B) : 70