



Luoyang JCB Bearing Technology Company Limited

E.816.30.15.D.1-RV

SLEWING BEARING

CROSSED ROLLER SLEWING BEARING





Luoyang JCB Bearing Technology Company Limited

CONTENTS

01.

[MAIN SPECIFICATION](#)

02.

[TECHNICAL INFORMATION](#)

03.

[MANUFACTURE & INSPECTION](#)

04.

[PACKING AND STORAGE](#)

05.

[WARRANTY & CERTIFICATE](#)



Luoyang JCB Bearing Technology Company Limited

E.816.30.15.D.1-RV

01

MAIN SPECIFICATION



[REFERENCE DRAWING](#)



[LUBRICATION](#)



[SPECIFICATION](#)



[BOLT HOLES TYPE & BOLTS](#)



[RAW MATERIAL](#)



[CORROSION PROTECTION](#)




Luoyang JCB Bearing Technology Company Limited

E.816.30.15.D.1-RV

REFERENCE DRAWING

This drawing is reference for user, if user request for formal drawing , please contact with us: sales@jcb-bearing.com, the official drawing will be submitted to them.

01-1




01-2

Luoyang JCB Bearing Technology Company Limited

SPECIFICATION



E.816.30.15.D.1-RV



Inner diameter (d) :570
 Outer diameter (D) :816
 Overall height (T) :90
 Outer ring height (H1):73
 Inner ring height (H2):73
 Weight: 118 KG
 External bolt circle dia (J1) : 753
 Number of bolt holes per hole circle (n1) :36
 External bolt hole type : Selected by user
 External bolt hole diameter(N1) :22
 Internal bolt circle dia(J2): 604
 Number of bolt holes per hole circle(n2): (36-1)
 Internal bolt hole type : Selected by user
 Internal bolt hole diameter (N2) :22
 Tooth number :100
 Module of gear :8
 Tooth width (B) : 65