



Luoyang JCB Bearing Technology Company Limited

H8-58E2

SLEWING BEARING

DOUBLE ROW BALL SLEWING BEARING





Luoyang JCB Bearing Technology Company Limited

CONTENTS

01.

[MAIN SPECIFICATION](#)

02.

[TECHNICAL INFORMATION](#)

03.

[MANUFACTURE & INSPECTION](#)

04.

[PACKING AND STORAGE](#)

05.

[WARRANTY & CERTIFICATE](#)



Luoyang JCB Bearing Technology Company Limited

H8-58E2

01

MAIN SPECIFICATION



[REFERENCE DRAWING](#)



[LUBRICATIONA](#)



[SPECIFICATION](#)



[BOLT HOLES TYPE & BOLTS](#)



[RAW MATERIAL](#)



[CORROSION PROTECTION](#)




Luoyang JCB Bearing Technology Company Limited

H8-58E2

REFERENCE DRAWING

This drawing is reference for user, if user request for formal drawing , please contact with us: sales@jcb-bearing.com, the official drawing will be submitted to them.



01-1



01-2

Luoyang JCB Bearing Technology Company Limited

SPECIFICATION



H8-58E2



Inner diameter (D_i) : 53.70 in
 Outer diameter (D_a) : 62.60 in
 Overall height (H) : 4.06 in
 Outer ring height (H_1) : 3.35 in
 Inner ring height (H_2) : 3.94 in
 Weight: 750 lbs
 External bolt circle dia (L_a) : 59.53 in
 Number of bolt holes per hole circle (n_a) : 40
 External bolt hole type : Selected by user
 External bolt hole diameter (B) : 3/4-10 in
 Internal bolt circle dia (L_i) : 55.12 in
 Number of bolt holes per hole circle (n_i) : 40
 Internal bolt hole type : Selected by user
 Internal bolt hole diameter (B) : 3/4-10 in
 Tooth number (z) : 155
 Module of gear (m) : 2.5
 Tooth width (b) : 2.36 in