



Luoyang JCB Bearing Technology Company Limited

I.1750.2.30.20.D.6

SLEWING BEARING

DOUBLE ROW BALL SLEWING BEARING





Luoyang JCB Bearing Technology Company Limited

CONTENTS

01.

[MAIN SPECIFICATION](#)

02.

[TECHNICAL INFORMATION](#)

03.

[MANUFACTURE & INSPECTION](#)

04.

[PACKING AND STORAGE](#)

05.

[WARRANTY & CERTIFICATE](#)



Luoyang JCB Bearing Technology Company Limited

I.1750.2.30.20.D.6

01

MAIN SPECIFICATION



[REFERENCE DRAWING](#)



[LUBRICATION](#)



[SPECIFICATION](#)



[BOLT HOLES TYPE & BOLTS](#)



[RAW MATERIAL](#)



[CORROSION PROTECTION](#)




Luoyang JCB Bearing Technology Company Limited

I.1750.2.30.20.D.6

REFERENCE DRAWING

This drawing is reference for user, if user request for formal drawing , please contact with us: sales@jcb-bearing.com, the official drawing will be submitted to them.





01-2

Luoyang JCB Bearing Technology Company Limited

SPECIFICATION



I.1750.2.30.20.D.6



Inner diameter (d) :1418
 Outer diameter (D) :1750
 Overall height (T) :120
 Outer ring height (H1):110
 Inner ring height (H2):110
 Weight: 564 KG
 External bolt circle dia (J1) : 1705
 Number of bolt holes per hole circle (n1) :48
 External bolt hole type : Selected by user
 External bolt hole diameter(N1) :25
 Internal bolt circle dia(J2): 1525
 Number of bolt holes per hole circle(n2): 48
 Internal bolt hole type : Selected by user
 Internal bolt hole diameter (N2) :25
 Tooth number :120
 Module of gear :12
 Tooth width (B) : 98