



**Luoyang JCB Bearing Technology Company Limited**

**L9-42E9Z**

# **SLEWING BEARING**

**FLANGED FOUR-POINT CONTACT BALL SLEWING BEARING**





# Luoyang JCB Bearing Technology Company Limited

## CONTENTS

01.

[MAIN SPECIFICATION](#)

02.

[TECHNICAL INFORMATION](#)

03.

[MANUFACTURE & INSPECTION](#)

04.

[PACKING AND STORAGE](#)

05.

[WARRANTY & CERTIFICATE](#)



**Luoyang JCB Bearing Technology Company Limited**

**L9-42E9Z**

01

## MAIN SPECIFICATION



[REFERENCE DRAWING](#)



[SPECIFICATION](#)



[RAW MATERIAL](#)



[LUBRICATION](#)



[BOLT HOLES TYPE & BOLTS](#)



[CORROSION PROTECTION](#)




# Luoyang JCB Bearing Technology Company Limited

## L9-42E9Z

### REFERENCE DRAWING

This drawing is reference for user, if user request for formal drawing , please contact with us: [sales@jcb-bearing.com](mailto:sales@jcb-bearing.com), the official drawing will be submitted to them.

01-1





01-2

# Luoyang JCB Bearing Technology Company Limited

## SPECIFICATION



L9-42E9Z



Inner diameter (Di): 35.63 in  
 Outer diameter (Da): 47.04 in  
 Overall height (H) : 3.54 in  
 Outer ring height (b): 2.80 in  
 Distance at bottom inner ring(Hu): 0.74 in  
 Height(H4): 0.83 in  
 Weight: 404 lbs  
 External bolt circle dia (La): 44.00 in  
 Number of bolt holes per hole circle (na):30  
 External bolt hole type : Selected by user  
 External bolt hole diameter(M): 3/4-10UNC in  
 Internal bolt circle dia(Li): 37.13 in  
 Number of bolt holes per hole circle(ni):30  
 Internal bolt hole type : Selected by user  
 Internal bolt hole diameter (B): 13/16 in  
 Tooth number(z):116.00  
 Module of gear(DP):2.5  
 Tooth width (b): 2.80 in