



**Luoyang JCB Bearing Technology Company Limited**

**RKS.061.20.0414**

# **SLEWING BEARING**

**FOUR-POINT CONTACT BALL SLEWING BEARING**





# Luoyang JCB Bearing Technology Company Limited

## CONTENTS

01.

[MAIN SPECIFICATION](#)

02.

[TECHNICAL INFORMATION](#)

03.

[MANUFACTURE & INSPECTION](#)

04.

[PACKING AND STORAGE](#)

05.

[WARRANTY & CERTIFICATE](#)



**Luoyang JCB Bearing Technology Company Limited**

**RKS.061.20.0414**

**01**

## MAIN SPECIFICATION



REFERENCE DRAWING



SPECIFICATION



RAW MATERIAL



LUBRICATIONA



BOLT HOLES TYPE & BOLTS



CORROSION PROTECTION




Luoyang JCB Bearing Technology Company Limited

RKS.061.20.0414

## REFERENCE DRAWING

This drawing is reference for user, if user request for formal drawing , please contact with us: [sales@jcb-bearing.com](mailto:sales@jcb-bearing.com), the official drawing will be submitted to them.





01-2

# Luoyang JCB Bearing Technology Company Limited

## SPECIFICATION



RKS.061.20.0414



Inner diameter (d) :342  
 Outer diameter (D) :504  
 Overall height (T) :56  
 Outer ring height (H1):44.5  
 Inner ring height (H2):44.5  
 Weight: 31.0 KG  
 External bolt circle dia (J1) : 455  
 Number of bolt holes per hole circle (n1) :20  
 External bolt hole type : Selected by user  
 External bolt hole diameter(N1) :M12  
 Internal bolt circle dia(J2): 368  
 Number of bolt holes per hole circle(n2): 24  
 Internal bolt hole type : Selected by user  
 Internal bolt hole diameter (N2) :13.5  
 Tooth number :99  
 Module of gear :5  
 Tooth width (B) : 44.5