



Luoyang JCB Bearing Technology Company Limited

RKS.062.20.0644

SLEWING BEARING

FOUR-POINT CONTACT BALL SLEWING BEARING





Luoyang JCB Bearing Technology Company Limited

CONTENTS

01.

[MAIN SPECIFICATION](#)

02.

[TECHNICAL INFORMATION](#)

03.

[MANUFACTURE & INSPECTION](#)

04.

[PACKING AND STORAGE](#)

05.

[WARRANTY & CERTIFICATE](#)



Luoyang JCB Bearing Technology Company Limited

RKS.062.20.0644

01

MAIN SPECIFICATION



[REFERENCE DRAWING](#)



[LUBRICATIONA](#)



[SPECIFICATION](#)



[BOLT HOLES TYPE & BOLTS](#)



[RAW MATERIAL](#)



[CORROSION PROTECTION](#)




Luoyang JCB Bearing Technology Company Limited

RKS.062.20.0644

REFERENCE DRAWING

This drawing is reference for user, if user request for formal drawing , please contact with us: sales@jcb-bearing.com, the official drawing will be submitted to them.





01-2

Luoyang JCB Bearing Technology Company Limited

SPECIFICATION



RKS.062.20.0644



Inner diameter (d) :547.2
Outer diameter (D) :716
Overall height (T) :56
Outer ring height (H1):44.5
Inner ring height (H2):44.5
Weight: 50.0 KG
External bolt circle dia (J1) : 690
Number of bolt holes per hole circle (n1) :36
External bolt hole type : Selected by user
External bolt hole diameter(N1) :13.5
Internal bolt circle dia(J2): 605
Number of bolt holes per hole circle(n2): 36
Internal bolt hole type : Selected by user
Internal bolt hole diameter (N2) :M12
Tooth number :93
Module of gear :6
Tooth width (B) : 44.5