



Luoyang JCB Bearing Technology Company Limited

RKS.062.20.1094

SLEWING BEARING

FOUR-POINT CONTACT BALL SLEWING BEARING





Luoyang JCB Bearing Technology Company Limited

CONTENTS

01.

[MAIN SPECIFICATION](#)

02.

[TECHNICAL INFORMATION](#)

03.

[MANUFACTURE & INSPECTION](#)

04.

[PACKING AND STORAGE](#)

05.

[WARRANTY & CERTIFICATE](#)



Luoyang JCB Bearing Technology Company Limited

RKS.062.20.1094

01

MAIN SPECIFICATION



[REFERENCE DRAWING](#)



[LUBRICATIONA](#)



[SPECIFICATION](#)



[BOLT HOLES TYPE & BOLTS](#)



[RAW MATERIAL](#)



[CORROSION PROTECTION](#)




Luoyang JCB Bearing Technology Company Limited

RKS.062.20.1094

REFERENCE DRAWING

This drawing is reference for user, if user request for formal drawing , please contact with us: sales@jcb-bearing.com, the official drawing will be submitted to them.

01-1





01-2

Luoyang JCB Bearing Technology Company Limited

SPECIFICATION



RKS.062.20.1094



Inner diameter (d) : 985.6
 Outer diameter (D) : 1166
 Overall height (T) : 56
 Outer ring height (H1): 44.5
 Inner ring height (H2): 44.5
 Weight: 91.0 KG
 External bolt circle dia (J1) : 1140
 Number of bolt holes per hole circle (n1) : 48
 External bolt hole type : Selected by user
 External bolt hole diameter(N1) : 13.5
 Internal bolt circle dia(J2): 1055
 Number of bolt holes per hole circle(n2): 48
 Internal bolt hole type : Selected by user
 Internal bolt hole diameter (N2) : M12
 Tooth number : 125
 Module of gear : 8
 Tooth width (B) : 44.5