



Luoyang JCB Bearing Technology Company Limited

RKS.221091

SLEWING BEARING

FLANGED FOUR-POINT CONTACT BALL SLEWING BEARING





Luoyang JCB Bearing Technology Company Limited

CONTENTS

01.

[MAIN SPECIFICATION](#)

02.

[TECHNICAL INFORMATION](#)

03.

[MANUFACTURE & INSPECTION](#)

04.

[PACKING AND STORAGE](#)

05.

[WARRANTY & CERTIFICATE](#)



Luoyang JCB Bearing Technology Company Limited

RKS.221091

01

MAIN SPECIFICATION



[REFERENCE DRAWING](#)



[SPECIFICATION](#)



[RAW MATERIAL](#)



[LUBRICATIONA](#)



[BOLT HOLES TYPE & BOLTS](#)



[CORROSION PROTECTION](#)




Luoyang JCB Bearing Technology Company Limited

RKS.221091

REFERENCE DRAWING

This drawing is reference for user, if user request for formal drawing , please contact with us: sales@jcb-bearing.com, the official drawing will be submitted to them.

01-1




01-2

Luoyang JCB Bearing Technology Company Limited

SPECIFICATION



RKS.221091



- Inner diameter (D_i) : 986
- Outer diameter (D_a) : 1198
- Overall height (H) : 56
- Outer ring height (b) : 46
- Distance at bottom outer ring (H_u) : 10
- Height (H_3) : 12
- Weight: 80.0 KG
- External bolt circle dia (L_a) : 1170
- Number of bolt holes per hole circle (n_a) : 16
- External bolt hole type : Selected by user
- External bolt hole diameter (B) : 18
- Internal bolt circle dia (L_i) : 1055
- Number of bolt holes per hole circle (n_i) : 24
- Internal bolt hole type : Selected by user
- Internal bolt hole diameter (M) : M12
- Tooth number (z) : 125
- Module of gear (m) : 8
- Tooth width (b) : 46