



Luoyang JCB Bearing Technology Company Limited

SD.1200.32.00.C

SLEWING BEARING

FLANGED FOUR-POINT CONTACT BALL SLEWING BEARING





Luoyang JCB Bearing Technology Company Limited

CONTENTS

01.

[MAIN SPECIFICATION](#)

02.

[TECHNICAL INFORMATION](#)

03.

[MANUFACTURE & INSPECTION](#)

04.

[PACKING AND STORAGE](#)

05.

[WARRANTY & CERTIFICATE](#)



Luoyang JCB Bearing Technology Company Limited

SD.1200.32.00.C

01

MAIN SPECIFICATION



[REFERENCE DRAWING](#)



[LUBRICATION](#)



[SPECIFICATION](#)



[BOLT HOLES TYPE & BOLTS](#)



[RAW MATERIAL](#)



[CORROSION PROTECTION](#)




Luoyang JCB Bearing Technology Company Limited

SD.1200.32.00.C

REFERENCE DRAWING

This drawing is reference for user, if user request for formal drawing , please contact with us: sales@jcb-bearing.com, the official drawing will be submitted to them.

01-1



01-2

Luoyang JCB Bearing Technology Company Limited

SPECIFICATION



SD.1200.32.00.C



Inner diameter (D_i) : 905
Outer diameter (D_a) : 1200
Overall height (H) : 90
Distance at bottom outer ring (H_0) : 19
Height (H_3) : 21
Distance at bottom inner ring (H_u) : 19
Height (H_4) : 21
Weight: 145 KG
External bolt circle dia (L_a) : 1160
Number of bolt holes per hole circle (n_a) : 30
External bolt hole type : Selected by user
External bolt hole diameter (B) : 22
Internal bolt circle dia (L_i) : 945
Number of bolt holes per hole circle (n_i) : 30
Internal bolt hole type : Selected by user
Internal bolt hole diameter (B) : 22