



**Luoyang JCB Bearing Technology Company Limited**

**VE062B00**

**SLEWING BEARING**

**DOUBLE ROW BALL SLEWING BEARING**





# Luoyang JCB Bearing Technology Company Limited

## CONTENTS

01.

[MAIN SPECIFICATION](#)

02.

[TECHNICAL INFORMATION](#)

03.

[MANUFACTURE & INSPECTION](#)

04.

[PACKING AND STORAGE](#)

05.

[WARRANTY & CERTIFICATE](#)



**Luoyang JCB Bearing Technology Company Limited**

**VE062B00**

01

## MAIN SPECIFICATION

- [REFERENCE DRAWING](#)
- [SPECIFICATION](#)
- [RAW MATERIAL](#)
- [LUBRICATIONA](#)
- [BOLT HOLES TYPE & BOLTS](#)
- [CORROSION PROTECTION](#)




# Luoyang JCB Bearing Technology Company Limited

## VE062B00

### REFERENCE DRAWING

This drawing is reference for user, if user request for formal drawing , please contact with us: [sales@jcb-bearing.com](mailto:sales@jcb-bearing.com), the official drawing will be submitted to them.



01-1


01-2

Luoyang JCB Bearing Technology Company Limited



## SPECIFICATION

### VE062B00



Inner diameter (d) :390  
Outer diameter (D) :620  
Overall height (T) :90  
Outer ring height (H1):-  
Inner ring height (H2):-  
Weight: 100 KG

External bolt circle dia (J1) : 540  
Number of bolt holes per hole circle (n1) :18  
External bolt hole type : Selected by user  
External bolt hole diameter(N1) :M16  
Internal bolt circle dia(J2): 436  
Number of bolt holes per hole circle(n2): 18  
Internal bolt hole type : Selected by user  
Internal bolt hole diameter (N2) :M16  
Tooth number :60  
Module of gear :10  
Tooth width (B) : 76