



Luoyang JCB Bearing Technology Company Limited

VI.10.1300L

SLEWING BEARING

FOUR-POINT CONTACT BALL SLEWING BEARING





Luoyang JCB Bearing Technology Company Limited

CONTENTS

01.

[MAIN SPECIFICATION](#)

02.

[TECHNICAL INFORMATION](#)

03.

[MANUFACTURE & INSPECTION](#)

04.

[PACKING AND STORAGE](#)

05.

[WARRANTY & CERTIFICATE](#)



Luoyang JCB Bearing Technology Company Limited

VI.10.1300L

01

MAIN SPECIFICATION



[REFERENCE DRAWING](#)



[SPECIFICATION](#)



[RAW MATERIAL](#)



[LUBRICATIONA](#)



[BOLT HOLES TYPE & BOLTS](#)



[CORROSION PROTECTION](#)




Luoyang JCB Bearing Technology Company Limited

VI.10.1300L

REFERENCE DRAWING

This drawing is reference for user, if user request for formal drawing , please contact with us: sales@jcb-bearing.com, the official drawing will be submitted to them.



01-1



01-2

Luoyang JCB Bearing Technology Company Limited

SPECIFICATION



VI.10.1300L



- Inner diameter (d) :1250
- Outer diameter (D) :1350
- Overall height (T) :85
- Outer ring height (H1):
- Inner ring height (H2):
- Weight: 78 KG
- External bolt circle dia (J1) :
- Number of bolt holes per hole circle (n1) :
- External bolt hole type : Selected by user
- External bolt hole diameter(N1) :
- Internal bolt circle dia(J2):
- Number of bolt holes per hole circle(n2):
- Internal bolt hole type : Selected by user
- Internal bolt hole diameter (N2) :
- Tooth number :
- Module of gear :
- Tooth width (B) :