



**Luoyang JCB Bearing Technology Company Limited**

**VS097B01**

# **SLEWING BEARING**

**DOUBLE ROW BALL SLEWING BEARING**





# Luoyang JCB Bearing Technology Company Limited

## CONTENTS

01.

[MAIN SPECIFICATION](#)

02.

[TECHNICAL INFORMATION](#)

03.

[MANUFACTURE & INSPECTION](#)

04.

[PACKING AND STORAGE](#)

05.

[WARRANTY & CERTIFICATE](#)



**Luoyang JCB Bearing Technology Company Limited**

**VS097B01**

01

## MAIN SPECIFICATION



[REFERENCE DRAWING](#)



[LUBRICATIONA](#)



[SPECIFICATION](#)



[BOLT HOLES TYPE & BOLTS](#)



[RAW MATERIAL](#)



[CORROSION PROTECTION](#)




**Luoyang JCB Bearing Technology Company Limited**

**VS097B01**

## REFERENCE DRAWING

This drawing is reference for user, if user request for formal drawing , please contact with us: [sales@jcb-bearing.com](mailto:sales@jcb-bearing.com), the official drawing will be submitted to them.



01-1

|                                                            |                                         |
|------------------------------------------------------------|-----------------------------------------|
| Double Row Different Diameter Ball<br>Slewing Ring Bearing | VS097B01                                |
|                                                            | —                                       |
|                                                            | Luoyang JCB Bearing Technology Co., Ltd |


01-2

# Luoyang JCB Bearing Technology Company Limited

## SPECIFICATION



### VS097B01



Inner diameter (d) :786  
 Outer diameter (D) :976  
 Overall height (T) :97  
 Outer ring height (H1):-  
 Inner ring height (H2):-  
 Weight: 160 KG  
 External bolt circle dia (J1) :944  
 Number of bolt holes per hole circle (n1) :36  
 External bolt hole type : Selected by user  
 External bolt hole diameter(N1) :M16  
 Internal bolt circle dia(J2):850  
 Number of bolt holes per hole circle(n2): 36  
 Internal bolt hole type : Selected by user  
 Internal bolt hole diameter (N2) :M16  
 Tooth number :-  
 Module of gear :-  
 Tooth width (B) :-