



Luoyang JCB Bearing Technology Company Limited

VS238A00

SLEWING BEARING

FOUR-POINT CONTACT BALL SLEWING BEARING





Luoyang JCB Bearing Technology Company Limited

CONTENTS

01.

[MAIN SPECIFICATION](#)

02.

[TECHNICAL INFORMATION](#)

03.

[MANUFACTURE & INSPECTION](#)

04.

[PACKING AND STORAGE](#)

05.

[WARRANTY & CERTIFICATE](#)



Luoyang JCB Bearing Technology Company Limited

VS238A00

01

MAIN SPECIFICATION



[REFERENCE DRAWING](#)



[LUBRICATIONA](#)



[SPECIFICATION](#)



[BOLT HOLES TYPE & BOLTS](#)



[RAW MATERIAL](#)



[CORROSION PROTECTION](#)




Luoyang JCB Bearing Technology Company Limited

VS238A00

REFERENCE DRAWING

This drawing is reference for user, if user request for formal drawing , please contact with us: sales@jcb-bearing.com, the official drawing will be submitted to them.





01-2

Luoyang JCB Bearing Technology Company Limited

SPECIFICATION



VS238A00



Inner diameter (d) :2125

Outer diameter (D) :2380

Overall height (T) :87

Outer ring height (H1):-

Inner ring height (H2):-

Weight: 520 KG

External bolt circle dia (J1) : 2320

Number of bolt holes per hole circle (n1) :20

External bolt hole type : Selected by user

External bolt hole diameter(N1) :M24

Internal bolt circle dia(J2):2175

Number of bolt holes per hole circle(n2):36

Internal bolt hole type : Selected by user

Internal bolt hole diameter (N2) :M16