



**Luoyang JCB Bearing Technology Company Limited**

**VSA200644-N-RL1**

# **SLEWING BEARING**

**FOUR-POINT CONTACT BALL SLEWING BEARING**





# Luoyang JCB Bearing Technology Company Limited

## CONTENTS

01.

[MAIN SPECIFICATION](#)

02.

[TECHNICAL INFORMATION](#)

03.

[MANUFACTURE & INSPECTION](#)

04.

[PACKING AND STORAGE](#)

05.

[WARRANTY & CERTIFICATE](#)



**Luoyang JCB Bearing Technology Company Limited**

**VSA200644-N-RL1**

01

## MAIN SPECIFICATION



[REFERENCE DRAWING](#)



[LUBRICATIONA](#)



[SPECIFICATION](#)



[BOLT HOLES TYPE & BOLTS](#)



[RAW MATERIAL](#)



[CORROSION PROTECTION](#)




**Luoyang JCB Bearing Technology Company Limited**

**VSA200644-N-RL1**

## REFERENCE DRAWING

This drawing is reference for user, if user request for formal drawing , please contact with us: [sales@jcb-bearing.com](mailto:sales@jcb-bearing.com), the official drawing will be submitted to them.



01-2

# Luoyang JCB Bearing Technology Company Limited

## SPECIFICATION



### VSA200644-N-RL1



- Inner diameter (d) :572
- Outer diameter (D) :742.3
- Overall height (T) :56
- Outer ring height (H1):44.5
- Inner ring height (H2):44.5
- Weight: 52 KG
- External bolt circle dia (J1) : 685
- Number of bolt holes per hole circle (n1) :32
- External bolt hole type : Selected by user
- External bolt hole diameter(N1) :M12
- Internal bolt circle dia(J2): 598
- Number of bolt holes per hole circle(n2): 36
- Internal bolt hole type : Selected by user
- Internal bolt hole diameter (N2) :14
- Tooth number :122
- Module of gear :6
- Tooth width (B) : 44.5