



Luoyang JCB Bearing Technology Company Limited

VSA200644-N-VSP-ZT

SLEWING BEARING

FOUR-POINT CONTACT BALL SLEWING BEARING





Luoyang JCB Bearing Technology Company Limited

CONTENTS

01.

[MAIN SPECIFICATION](#)

02.

[TECHNICAL INFORMATION](#)

03.

[MANUFACTURE & INSPECTION](#)

04.

[PACKING AND STORAGE](#)

05.

[WARRANTY & CERTIFICATE](#)



Luoyang JCB Bearing Technology Company Limited

VSA200644-N-VSP-ZT

01

MAIN SPECIFICATION



[REFERENCE DRAWING](#)



[LUBRICATIONA](#)



[SPECIFICATION](#)



[BOLT HOLES TYPE & BOLTS](#)



[RAW MATERIAL](#)



[CORROSION PROTECTION](#)




Luoyang JCB Bearing Technology Company Limited

VSA200644-N-VSP-ZT

REFERENCE DRAWING

This drawing is reference for user, if user request for formal drawing , please contact with us: sales@jcb-bearing.com, the official drawing will be submitted to them.



01-2

Luoyang JCB Bearing Technology Company Limited

SPECIFICATION



VSA200644-N-VSP-ZT



Inner diameter (d) :572
 Outer diameter (D) :742.3
 Overall height (T) :56
 Outer ring height (H1):44.5
 Inner ring height (H2):44.5
 Weight: 52 KG
 External bolt circle dia (J1) : 685
 Number of bolt holes per hole circle (n1) :32
 External bolt hole type : Selected by user
 External bolt hole diameter(N1) :M12
 Internal bolt circle dia(J2): 598
 Number of bolt holes per hole circle(n2): 36
 Internal bolt hole type : Selected by user
 Internal bolt hole diameter (N2) :14
 Tooth number :122
 Module of gear :6
 Tooth width (B) : 44.5