



Luoyang JCB Bearing Technology Company Limited

VSA200844-N-VSP-ZT

SLEWING BEARING

FOUR-POINT CONTACT BALL SLEWING BEARING





Luoyang JCB Bearing Technology Company Limited

CONTENTS

01.

[MAIN SPECIFICATION](#)

02.

[TECHNICAL INFORMATION](#)

03.

[MANUFACTURE & INSPECTION](#)

04.

[PACKING AND STORAGE](#)

05.

[WARRANTY & CERTIFICATE](#)



Luoyang JCB Bearing Technology Company Limited

VSA200844-N-VSP-ZT

01

MAIN SPECIFICATION



[REFERENCE DRAWING](#)



[LUBRICATIONA](#)



[SPECIFICATION](#)



[BOLT HOLES TYPE & BOLTS](#)



[RAW MATERIAL](#)



[CORROSION PROTECTION](#)




Luoyang JCB Bearing Technology Company Limited

VSA200844-N-VSP-ZT

REFERENCE DRAWING

This drawing is reference for user, if user request for formal drawing , please contact with us: sales@jcb-bearing.com, the official drawing will be submitted to them.





01-2

Luoyang JCB Bearing Technology Company Limited

SPECIFICATION



VSA200844-N-VSP-ZT



- Inner diameter (d) :772
- Outer diameter (D) :950.1
- Overall height (T) :56
- Outer ring height (H1):44.5
- Inner ring height (H2):44.5
- Weight: 71 KG
- External bolt circle dia (J1) : 885
- Number of bolt holes per hole circle (n1) :36
- External bolt hole type : Selected by user
- External bolt hole diameter(N1) :M12
- Internal bolt circle dia(J2): 798
- Number of bolt holes per hole circle(n2): 40
- Internal bolt hole type : Selected by user
- Internal bolt hole diameter (N2) :14
- Tooth number :117
- Module of gear :8
- Tooth width (B) : 44.5