



Luoyang JCB Bearing Technology Company Limited

VU.10.1093AV

SLEWING BEARING

FLANGED FOUR-POINT CONTACT BALL SLEWING BEARING





Luoyang JCB Bearing Technology Company Limited

CONTENTS

01.

[MAIN SPECIFICATION](#)

02.

[TECHNICAL INFORMATION](#)

03.

[MANUFACTURE & INSPECTION](#)

04.

[PACKING AND STORAGE](#)

05.

[WARRANTY & CERTIFICATE](#)



Luoyang JCB Bearing Technology Company Limited

VU.10.1093AV

01

MAIN SPECIFICATION



[REFERENCE DRAWING](#)



[LUBRICATIONA](#)



[SPECIFICATION](#)



[BOLT HOLES TYPE & BOLTS](#)



[RAW MATERIAL](#)



[CORROSION PROTECTION](#)




Luoyang JCB Bearing Technology Company Limited

VU.10.1093AV

REFERENCE DRAWING

This drawing is reference for user, if user request for formal drawing , please contact with us: sales@jcb-bearing.com, the official drawing will be submitted to them.

01-1





01-2

Luoyang JCB Bearing Technology Company Limited

SPECIFICATION



VU.10.1093AV



Inner diameter (d) : 985

Outer diameter (D) : 1093

Overall height (T) : 56

Height(H3):-

Height(H4):-

Weight: 71.5 KG

External bolt circle dia (J1) : 1170

Number of bolt holes per hole circle (n1) : 32

External bolt hole type : Selected by user

External bolt hole diameter(N1) : 18

Internal bolt circle dia(J2): 1015

Number of bolt holes per hole circle(n2): 32

Internal bolt hole type : Selected by user

Internal bolt hole diameter (N2) : 18